



Date: 05.04.2024

To,

The pollution Control Board,

Hosur, Krishnagiri.

Respected Sir / Madam,

Here I am submitting the Annual report of Form IV by the occupier of health care facility from Kauvery hospital medical service Pvt, Ltd. Hosur, Krishnagiri DT, 635109. The Bio-Medical Waste management disposed through RE SUSTAINABILITY HEALTH CARE SOLUTIONS LTD, Salem.

Thanking You.



Yours Sincerely,

Kauvery Hospital Medical Services Private Limited #35, Shanthi Nagar, Opp CSI Church Denkanikotta Road, HOSUR - 635'109 Senior General Manager,

KAUVERY HOSPITAL,

HOSUR.

Form – IV (See rule 13)

AMUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SI. No.	Particulars						
1	Particulars of the Occupier	:					
	(i) Name of the authorized person (occupier or : operator of facility)		Mr. Josh Varghese Joy				
H	(ii) Name of HCF or CBMWTF	:	Kauvery Hospital Medical Service Pvt,Ltd.				
	(iii) Address for Correspondence	:	No.35, Shanthi Nagar, CSI Chruch(opp), Hosur.				
	(iv) Address of Facility	:	Mr. Josh Varghese Joy				
	(v)Tel. No, Fax. No	:	04344 - 272727				
	(vi) E-mail ID	:	josh@kauveryhospital.com				
	(vii) URL of Website	:	www.kauveryhospital.com				
	(viii) GPS coordinates of HCF or CBMWTF	1	www.kaaverynosphanson				
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)				
	(x). Status of Authorization under the Bio- Medical Waste (Management and Handling) Rules	:	Authorisation No.:19BAD23723690				
	(xi). Status of Consents under Water Act and Air Act	·	Valid upto: 31/03/2028 31/03/2028				
2	Type of Health Care Facility	1:	Hospital				
	(i) Bedded Hospital	:	No. of Beds: 125				
	(ii) Non-bedded hospital Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NIL				
	(iii) License number and its date of expiry	1:	KRISALL20190005887				
3	Details of CBMWTF	1:					
	(i) Number of health care facilities covered by CBMWTF	:					
	(ii) No. of Beds covered by CBMWTF	1:					
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	Kg / day				
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	Kg / day .				
4	Quantity of waste generated or disposed in	:	Yellow Category: 3086.53 kg per Annum				
	Kg per Annum (on monthly average basis)		Red Category: 3927.33 kg				
	kg per Amum (on monthly average sass)		White: 203.2 kg				
			Blue Category: 684.68 kg				

		facility	Capacity: Provision of on-site storage: (Cold storage or any other provision)					
	(ii)	Disposal facilities		Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treatedor disposed in kg per annum	
				Incinerators Plasma	0			
				Pyrolysis	0			
				Autoclaves	2			
				Microwave	1			
				Hydroclave	-			
				Shredder	-			
				Needle tip cutter or destroyer	0			
				Sharps	0			
				Encapsulation or concrete pit	0			
				Deep burial pits	, 0			
				Chemical disinfection:	8			
				Any other treatment equipment:				
	(iii)	Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (etc.)			
	(iv)	No. of Vehicles used for collection and transportation of biomedical waste		Outsourced, With M/S RE SU LIMITED	SOLUTITEDS			
	(v)	Details of incineration ash and			Quant	,	Vhere	
		ETP sludge generated and disposed during the treatment of		Incineration	Gener	ateu 0	isposed	
		wastes in Kg per annum		Ash				
		wastes in Ng per aimain		ETP Sludge				
	(vi)	Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of		M/S With M/S SOLUTITEDS			/ IWM	
	(vii)	List of member HCF not handed over bio-medical waste.						
6	managen	ave bio-medical waste nent committee? If yes, attach of the meetings held during the		We have Biome	Ye edical Was		ent Committee	

7	Details trainings conducted on BMW		
	(i) Number of trainings conducted		
	on BMW Management	48	
	(ii) Number of personnel trained	8	
	(iii) Number of personnel trained at the time of induction	8	
	(iv) Number of personnel not undergone any training so far	-	
	(v) Whether standard manual for training is available?		Yes
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		
	(ii) Number of persons affected		
	(iii) Remedial Action taken (Please attach details if any)	-	
	(iv) Any Fatality occurred, details	- 1	
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		Yes
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		STP
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		N/A
12	Any other relevant information		

Certified that the above report is for the pe	eriod from		
01/01/2023to31/12/2023.			
		6.1	

Name and Signature of the Head of the Institution

Date: 05/04/2024

Place: Hosur

Kauvery Hospital Medical Services Private Limited #35, Shanthi Nagar, Opp CSI Church Denkanikotta Road, HOSUR - 635-109

			ANNUAL RE	PORT FOR DIS	SPOSAL OF BIO-	MEDICAL WAS	TE HOSUR - 202	3	
		RED C	ATEGORY	YELLOW CATEGORY		BLUE CONTAINER		WHITE CONTAINER	
5.10	MONTH	Total Bags	Weight in kg	Total Bags	Weight in kg	Total Canes	Weight in kg	Total Container	Weight in kg
1	Jan-23	468	415.68	468	315.8	12	68.5	43	17
2	Feb-23	520	412.75	530	320.35	19	55.45	48	26
3	Mar-23	512	550.25	505	352.9	15	75.5	45	24
4	Apr-23	488	445.25	556	345.33	15	86.15	47	23
5	May-23	511	368.65	458	318.34	13	84.14	42	24
6	Jun-23	601	498	521	365.45	17	71.35	40	23.2
7	Jul-23	625	445.65	515	358.18	16	82.14	37	19
8	Aug-23	518	378.55	546	325.12	18	85.15	48	25
9	Sep-23	565	412.55	527	385.11	13	76.3	41	22
10	Oct-23	568	388.25	489	317.25	16	52.18	39	18
11	Nov-23	545	300.75	510	394.65	11	79.3	44	25.1
12	Dec-23	565	320.25	550	400.75	12	85	40	25.8
TO	TAL	4808	3927.33	4626	3086.53	138	684.68	391	203.2

Form – IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SI. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or : operator of facility)		Mr. Josh Varghese Joy
	(ii) Name of HCF or CBMWTF	: 8	Kauvery Hospital Eye Care
	(iii) Address for Correspondence		SF NO.122/2F, Shanthi Nagar, Hosur.
	(iv) Address of Facility	:	Mr. Josh Varghese Joy
	(v)Tel. No, Fax. No		04344 - 272727
47.4	(vi) E-mail ID		josh@kauveryhospital. com
	(vii) URL of Website	1:	www.kauveryhospital.com
	(viii) GPS coordinates of HCF or CBMWTF		
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorization under the Bio- Medical Waste (Management and Handling) Rules	:	Authorisation No.:19BAD23781496
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto: 31/03/2028 31/03/2028
2	Type of Health Care Facility		Hospital
	(i) Bedded Hospital		No. of Beds: 25
	(ii) Non-bedded hospital		No. of Beds. 23
-	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		NIL
	(iii) License number and its date of expiry	1	KRISALL20200016907
3	Details of CBMWTF	1:	
	(i) Number of health care facilities covered by CBMWTF	:	
	(ii) No. of Beds covered by CBMWTF	1:	
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	Kg / day
4	Quantity of waste generated or disposed in		Yellow Category: 50 kg per Annum
	Kg per Annum (on monthly average basis)		Red Category: 20 kg
			White: 30 kg
			Blue Category: 36 kg
			General Solid Waste: 500 kg
5	Details of the Storage, Treatment, Transporta	tion, I	
	(i) Details of the on-site storage	1	Size: 200 sqft

-		facility	Capacity:						
	Francisco (Provision of on-site storage: (Cold storage o					
	(**)		any other provision)						
	(ii)	Disposal facilities		Type of treatment equipment	No of Units	Capacit Kg/day	Quantity Treatedor disposed in kg y per annum		
				Incinerators	0				
				Plasma Pyrolysis	0				
				Autoclaves	2				
				Microwave	1				
				Hydroclave	-				
				Shredder	-				
				Needle tip cutter or destroyer	0				
				Sharps	0				
				Encapsulation					
			or concrete pit	or concrete	0				
				Deep burial pits Chemical disinfection:	0				
					8				
				Any other treatment equipment:					
	(iii)	Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum			like plastic, glass, etc.) Not Done				
	(iv)	No. of Vehicles used for collection and transportation of biomedical waste	:	Outsourced, With M/S RE SUSTAINABILITY IWM SOLUTITED LIMITED					
	(v)	Details of incineration ash and ETP sludge generated and			Quant	,	Where disposed		
		disposed during the treatment of		Incineration					
	+	wastes in Kg per annum		Ash					
				ETP Sludge					
	(vi)	Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of		M/S RE SUS LIMITED	STAINABIL	ITY IWM S	OLUTITEDS		
	(vii)	List of member HCF not handed over bio-medical waste.							
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period			We have Biome	Y€ edical Was		ment Committee		

7	Details tr	ainings conducted on BMW		
	(i)	Number of trainings conducted on BMW Management	48	
	(ii)	Number of personnel trained	8	
	(iii)	Number of personnel trained at	8	
	(iv)	Number of personnel not undergone any training so far	•	
	(v)	Whether standard manual for training is available?		Yes
8	Details or year	f the accident occurred during the		
	(i)	Number of Accidents occurred		
	(ii)	Number of persons affected	- 1	
	(iii)	Remedial Action taken (Please attach details if any)	-	
	(iv)	Any Fatality occurred, details	-	
9	Pollution	meeting the standards of air of from the incinerator? How nes in last year could not met dards?		Yes
		f Continuous online emission ng systems installed		
10	methods	aste generated and treatment in place. How many times you met the standards in a year?		STP
11	sterilizat standard	disinfection method or tion meeting the log 4 ds? How many times you have not standards in a year?		N/A
12	Any other	er relevant information		

Certified that the above report is for the period from	

Name and Signature of the Head of the Institution

Kouvery Hospital Medical Services Private Limited #35, Shanthi Nagar, Opp CSI Church Denkanikotta Road, HOSUR - 625, 120

Date: 05/04/2024

Place: Hosur